
MODEL NO.	APPROX. SHIPPING WEIGHT	APPROX. OPERATING WEIGHT*	LATENT CAPACITY (KW)	TANK VOLUME (LITERS)	COIL VOLUME (LITERS)	IN/OUT SIZE	DIMENSIONS					
							W	L	A	В	С	D
TSU-L184M	3760	14360	650	8820	770	50	2400	3240	220	390	600	420
TSU-L370M	6400	27060	1306	17250	1460	75	2400	6050	248	390	600	420
TSU-L462M	7710	34030	1631	22030	1810	75	2980	6050	248	586	552	704
TSU-L592M	9200	41560	2090	27020	2280	75	3600	6050	248	689	600	1022


* OPERATING WEIGHT IS FOR UNIT WITH WATER LEVEL AT OVERFLOW LEVEL




NOTES:

- 1. ALL DIMENSIONS ARE IN MILLIMETERS. WEIGHTS ARE IN KILOGRAMS.
- DIMENSIONS LOCATING COIL CONNECTIONS ARE APPROXIMATE AND SUBJECT TO SOME VARIATION. THEY SHOULD NOT BE USED TO PREFABRICATE PIPE.
- 3. UNIT SHOULD BE CONTINUOUSLY SUPPORTED ON A FLAT LEVEL SURFACE.

ALL CONNECTIONS ARE GROOVED TO SUIT A MECHANICAL COUPLING. TO AVOID DAMAGE TO INSULATION AND TANK LINING NO WELDING IS PERMITTED AT THE TANK CONNECTIONS.





MODEL TSU-L370M SHOWN OTHER MODELS SIMILAR

B.A.C. ORDER NO: DATE:



ICE CHILLER[®] THERMAL STORAGE UNIT

DRAWING NUMBER:
BAC-10209A

G